

## EDITORIALS

## The Role of Dentists in the Diagnosis and Treatment of Obstructive Sleep Apnea: Consensus and Controversy

Stuart F. Quan, MD<sup>1,2</sup>; Wolfgang Schmidt-Nowara, MD<sup>3</sup>

<sup>1</sup>Division of Sleep and Circadian Disorders, Brigham and Women's Hospital, Harvard Medical School, Boston, Massachusetts; <sup>2</sup>Asthma and Airway Disease Research Center, University of Arizona College of Medicine, Tucson, Arizona; <sup>3</sup>Sleep Medicine Services, Santa Fe, New Mexico

Obstructive sleep apnea (OSA) is recognized by the medical community and the general public as an important chronic medical condition that can have serious medical consequences, reduce lifespans and impair quality of life.<sup>1</sup> Positive airway pressure (PAP) is the most efficacious therapy, but not all patients are able to tolerate PAP or are willing to use it on a long-term basis.<sup>2</sup> For many patients, oral appliance therapy (OAT) can be an effective alternative.<sup>3</sup> Fabrication of an OAT device and its implementation are specialized skills that should be done by a qualified dentist, as advocated by the professional societies of both sleep medicine and dental sleep practitioners.<sup>4</sup>

Dentists have been involved in the collaborative evaluation and treatment of patients with OSA using oral appliances since initial descriptions of their effectiveness in the 1980s with the first practice parameters for their use published in 1995.<sup>5,6</sup> Controversy regarding the role of the dentist in the care of patients with OSA came soon after. Initially, it centered on whether the practice of dentistry included independent treatment of patients who snore as well as whether physicians could employ OAT without an input from a dentist.<sup>7</sup> Although these issues have been generally resolved, some conflict between the disciplines remains. Recently the role of a dentist in the evaluation and treatment of a potential patient with OSA has been delineated by joint policy and practice guidelines published by the American Academy of Sleep Medicine (AASM) and the American Academy of Dental Sleep Medicine (AADSM) as well as by a treatment protocol published by the AADSM.<sup>4,8,9</sup> These state that patients with symptoms of OSA must have a face-to-face evaluation by a sleep medicine physician to diagnose OSA,<sup>4,8</sup> and that dentists—even those certified by the American Board of Dental Sleep Medicine (ABDSM)—are *not* qualified to diagnose OSA.<sup>8,10</sup> Furthermore, they explicitly indicate that interpretation of polysomnograms or home sleep studies is not in the purview of dentists.<sup>10</sup>

Dentists have an important role in identifying patients with OSA. As part of routine dental examinations, dentists can recognize a small upper airway and other anatomic risk factors for OSA, and use the opportunity to identify potential patients through use of simple screening questions

and/or questionnaires.<sup>11</sup> This can help reduce the problem of under-diagnosis of OSA.<sup>12</sup> The diagnosis of OSA, however, should be reserved for physicians, especially sleep specialists, whose training prepares them to explore the interaction of OSA with other medical diagnoses.<sup>13</sup> This restriction should include the performance and interpretation of diagnostic tests for reasons of training and expertise.

Importantly, dentists play a crucial role in evaluating patients with OSA for the suitability of OAT, choosing the proper OAT appliance, adjusting the OAT appliance and assessing the patient for adverse effects.<sup>7,8</sup> To accomplish these tasks, it is essential that dentists work collaboratively with the referring sleep medicine physician. When this occurs, patients will have the best opportunity for the effective treatment of their OSA.

There has been movement within the dental community to expand their role in the diagnosis and treatment of OSA beyond published guidelines and protocols.<sup>14</sup> Evidence for this exists in the form of anecdotal case reports and promotional websites,<sup>15</sup> as well as attempts to change scope of practice regulations. In Texas after considerable discussion, the rules and regulations of the State Board of Dental Examiners of Texas now explicitly state that a dentist cannot independently diagnose OSA and that a dentist can prescribe OAT only in collaboration with a physician.<sup>16</sup> However, over the objections of the Texas Medical Association,<sup>17</sup> these rules are silent regarding other sleep disorders, interpretation of sleep studies or dispensing of sleep diagnostic equipment. Recently the Colorado Dentistry Board is having policy discussions regarding the role of dentists in the diagnosis and treatment of OSA.<sup>18</sup>

Given these events, it is important to reemphasize the rationale that limits the diagnosis and treatment of OSA to physicians, preferably sleep medicine specialists. The primary reason is that OSA is a medical condition with a multifaceted pathophysiology that is not limited only to maxillofacial structural abnormalities and dysfunction.<sup>19</sup> It also can be comorbid with other medical conditions such as heart failure and asthma, and other sleep disorders such as insomnia, parasomnias and periodic limb movements.<sup>20-22</sup> Also, the diagnosis of OSA is more than a test number (eg,

apnea-hypopnea index more than 5). The diagnosis of OSA requires consideration of symptoms and the complete clinical condition, as with other medical diagnoses.<sup>13</sup> Sleep medicine specialists, but not dentists, are qualified and trained to perform this process. The same arguments apply to the performance and interpretation of sleep tests of any kind. Certification in sleep medicine requires a one year fellowship in addition to basic residency training during which trainees are exposed to and provide care for patients with the broad spectrum of sleep disorders.<sup>23</sup> By comparison, even dentists who are certified by the ABDSM receive relatively little training in the evaluation, diagnosis and treatment of sleep disorders other than OSA.<sup>24</sup> Therefore, if a patient has other issues with their sleep or complex comorbidities, or does not respond to OAT, a dentist is not qualified to provide alternative recommendations or therapy.

Although practice guidelines emphasize that the diagnosis of OSA is the purview of the physician,<sup>4,8,13</sup> it has been suggested that dentists should be allowed to order and interpret a home sleep apnea test (HSAT) as a tool to titrate and evaluate OAT effectiveness.<sup>14</sup> Proponents attempt to exploit the nonspecific language in the AADSM guidelines which states “the dentist may obtain objective data during an initial trial period to verify that the oral appliance effectively improves upper airway patency during sleep by enlarging the upper airway and/or decreasing upper airway collapsibility.”<sup>9</sup> Draft regulations being considered by the Colorado Dental Board would allow dentists to dispense HSAT devices and use “interim” results for OAT titration.<sup>18</sup> This should be strongly discouraged. The 2015 clinical practice guideline published jointly by the AASM and AADSM states “We suggest that *sleep physicians* (emphasis added) conduct follow-up sleep testing to improve or confirm treatment efficacy, rather than conduct follow-up without testing, for patients fitted with oral appliances.” In their position paper on dental sleep medicine and portable monitoring, the AADSM affirms that “While the membership of the AADSM and Diplomates of the ABDSM have been exposed to polysomnography...full interpretation of a polysomnogram or other sleep study is the role of a qualified practitioner (preferably a Diplomate of the American Board of Sleep Medicine...)”<sup>10</sup> Perhaps most importantly, the results of diagnostic testing such as HSAT, PSG or pulse oximetry cannot be used to make treatment decisions in isolation from *medical* expertise.<sup>13</sup> For example, is it proper to make a treatment decision when the apnea-hypopnea index is 7.5 events/h in the absence of any other clinical information? Our answer would be “no,” and we predict that there would be a similar response from virtually all other sleep specialists as well.

Both sleep physicians and qualified dentists have essential roles in the treatment of OSA with OAT.<sup>4,8,9</sup> The sleep physician must confirm the diagnosis and may recommend OAT. The dentist will confirm that OAT is appropriate and initiate therapy. Follow-up should be performed by dentist and physician, each contributing their special expertise. It is important that a collaborative relationship be established between a qualified dentist and the referring sleep physician so that patients will receive the most effective care for their OSA.

## CITATION

Quan SF, Schmidt-Nowara W. The role of dentists in the diagnosis and treatment of obstructive sleep apnea: consensus and controversy. *J Clin Sleep Med.* 2017;13(10):1117–1119.

## REFERENCES

1. Institute of Medicine (US) Committee on Sleep Medicine and Research; Colten HR, Altevogt BM, eds. *Sleep Disorders and Sleep Deprivation: An Unmet Public Health Problem.* Washington, DC: National Academies Press; 2006.
2. Quan SF, Awad KM, Budhiraja R, Parthasarathy S. The quest to improve CPAP adherence--PAP potpourri is not the answer. *J Clin Sleep Med.* 2012;8(1):49–50.
3. Zhu Y, Long H, Jian F, et al. The effectiveness of oral appliances for obstructive sleep apnea syndrome: a meta-analysis. *J Dent.* 2015;43:1394–1402.
4. American Academy of Sleep Medicine; American Academy of Dental Sleep Medicine. Policy Statement on the Diagnosis and Treatment of OSA. American Academy of Dental Sleep Medicine website. <http://aadsm.org/osapolicystatement.aspx>. Published December 7, 2012. Accessed August 21, 2017.
5. Schmidt-Nowara W. A review of sleep disorders. The history and diagnosis of sleep disorders related to the dentist. *Dent Clin North Am.* 2001;45(4):631–642.
6. Schmidt-Nowara W, Lowe A, Wiegand L, Cartwright R, Perez-Guerra F, Menn S. Oral appliances for the treatment of snoring and obstructive sleep apnea: a review. *Sleep.* 1995;18(6):501–510.
7. Barsh LI, Schmidt-Nowara W. Collaborative care. *Sleep Breath.* 2000;4(2):51–52.
8. Ramar K, Dort LC, Katz SG, et al. Clinical practice guideline for the treatment of obstructive sleep apnea and snoring with oral appliance therapy: an update for 2015. *J Clin Sleep Med.* 2015;11(7):773–827.
9. American Academy of Dental Sleep Medicine. AADSM Treatment Protocol: Oral Appliance Therapy for Sleep Disordered Breathing: An Update for 2013. American Academy of Dental Sleep Medicine website. <http://www.aadsm.org/treatmentprotocol.aspx>. Published June 2013. Accessed August 21, 2017.
10. American Academy of Dental Sleep Medicine. Position Paper on Portable Monitoring. American Academy of Dental Sleep Medicine website. <http://www.aadsm.org/positionportablemonitoring.aspx>. Published August 2005. Accessed August 21, 2017.
11. Lavanya R, Gandhi Babu DB, Chavva S, Boringi M, Waghray S, Yeladandi M. The role of oral physicians in predicting the risk of obstructive sleep apnea: a case-control study. *Imaging Sci Dent.* 2016;46(3):167–171.
12. Kapur V, Strohl KP, Redline S, Iber C, O'Connor G, Nieto J. Underdiagnosis of sleep apnea syndrome in U.S. communities. *Sleep Breath.* 2002;6(2):49–54.
13. Rosen IM, Kirsch DB, Chervin RD, et al. Clinical use of a home sleep apnea test: an American Academy of Sleep Medicine position statement. *J Clin Sleep Med.* 2017;13(10):1205–1207.
14. Dioguardi AT. Incorporating Home Sleep Testing into Oral Appliance Therapy. *Sleep Review* website. <http://www.sleepreviewmag.com/2016/07/home-sleep-testing-oral-appliance-therapy>. Published July 4, 2016. Accessed August 22, 2017.
15. DORA Colorado. Colorado Dental Board Stakeholder Meeting (Sleep apnea #1). YouTube website. <https://www.youtube.com/watch?v=PZrbaHUQkfw&feature=youtu.be>. Published April 7, 2017. Accessed: August 22, 2017.
16. Texas State Board of Dental Examiners. Rules and Regulations, 108.12. Dental Treatment of Obstructive Sleep Apnea. Texas Secretary of State website. [http://texreg.sos.state.tx.us/public/readtac\\$ext.TacPage?sl=R&app=9&p\\_dir=&p\\_rloc=&p\\_tloc=&p\\_ploc=&pg=1&p\\_tac=&ti=22&pt=5&ch=108&rl=12](http://texreg.sos.state.tx.us/public/readtac$ext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=22&pt=5&ch=108&rl=12). Published 2017. Accessed August 29, 2017.
17. Texas Medical Association. TMA Opposes Dental Board's Sleep Apnea Treatment Rules. Texas Medical Association website. <https://www.texmed.org/Template.aspx?id=36189>. Published May 2, 2016. Accessed August 22, 2017.

18. Colorado Dental Board. Next Steps for Sleep Apnea Discussions. Colorado Official State Web Portal website. [https://www.colorado.gov/pacific/dora/Dental\\_News#SleepApneaDiscussions](https://www.colorado.gov/pacific/dora/Dental_News#SleepApneaDiscussions). Published April 2017. Accessed August 22, 2017.
19. Jordan AS, McSharry DG, Malhotra A. Adult obstructive sleep apnoea. *Lancet*. 2014;383(9918):736–747.
20. Lack L, Sweetman A. Diagnosis and treatment of insomnia comorbid with obstructive sleep apnea. *Sleep Med Clin*. 2016;11(3):379–388.
21. Santin J, Mery V, Elso MJ, et al. Sleep-related eating disorder: a descriptive study in Chilean patients. *Sleep Med*. 2014;15(2):163–167.
22. Schenck CH, Hurwitz TD, O'Connor KA, Mahowald MW. Additional categories of sleep-related eating disorders and the current status of treatment. *Sleep*. 1993;16(5):457–466.
23. Accreditation Council for Graduate Medical Education. ACGME Program Requirements for Graduate Medical Education in Sleep Medicine. Accreditation Council for Graduate Medical Education website. [www.acgme.org/LinkClick.aspx?link=PFAssets%2fProgramRequirements%2f520\\_sleep\\_medicine\\_2017-07-01.pdf&articleId=5730](http://www.acgme.org/LinkClick.aspx?link=PFAssets%2fProgramRequirements%2f520_sleep_medicine_2017-07-01.pdf&articleId=5730). Published July 1, 2017. Accessed August 23, 2017.
24. American Board of Dental Sleep Medicine. ABDSM Certification Guidelines. American Board of Dental Sleep Medicine website. <http://www.abdsm.org/certificationguidelines.aspx>. Published 2017. Accessed August 23, 2017.

## SUBMISSION & CORRESPONDENCE INFORMATION

**Submitted for publication September 1, 2017**

**Submitted in final revised form September 1, 2017**

**Accepted for publication September 5, 2017**

Address correspondence to: Stuart F. Quan, MD, Division of Sleep Medicine, Harvard Medical School, 164 Longwood Ave., Boston, MA 02115; Tel: (617) 432-4003; Fax: (617) 432-4004; Email: [Stuart\\_Quan@hms.harvard.edu](mailto:Stuart_Quan@hms.harvard.edu)

## DISCLOSURE STATEMENT

Dr. Quan receives grant funding from the National Institute on Aging and the Snider Family Fund, consultation fees from Best Doctors, and honoraria for committee service from the American Board of Internal Medicine and the American Academy of Sleep Medicine, and speaking honoraria from the American Academy of Dental Sleep Medicine, New Jersey Sleep Society and the Pima Dental Study Club. Dr. Schmidt-Nowara reports no conflicts of interest.